

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L2	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L3	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L4	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L5	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L6	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L7	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L8	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L9	8869	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L10	13543311	@ad<"20021122" @lad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L11	24863	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L12	1354	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L13	16	L11 and L12 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L14	0	L13 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L15	5	L12 and L9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L16	3	L15 and L10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L17	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L18	8873	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L19	0	L18 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L20	20680	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L21	0	L20 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L22	29548	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L23	0	L22 and L17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L24	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L25	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L26	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L27	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L28	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L29	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L30	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L31	0	L30 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L32	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L33	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L34	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L35	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L36	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L37	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L38	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L39	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L40	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L41	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L42	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L43	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L44	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L45	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L46	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L47	8869	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L48	13543311	@ad<"20021122" @riad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L49	24863	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L50	1354	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L51	16	L49 and L50 and L48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L52	0	L51 and L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L53	5	L50 and L47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L54	3	L53 and L48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L55	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L56	8873	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L57	0	L56 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L58	20680	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L59	0	L58 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L60	29548	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L61	0	L60 and L55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L62	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L63	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L64	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L65	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L66	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L67	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L68	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L69	0	L68 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L70	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L71	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34

L72	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L73	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L74	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L75	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L76	1	"6400996".pn. and (VCR near5 provid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L77	19372	709/224,220,221,222,223.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
L78	952	L60 and L77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2009/03/05 17:34
S1	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/07 18:23
S2	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/07 18:42

S3	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:02
S4	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:02
S5	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:03
S6	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:06
S7	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:08
S8	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 14:08
S9	7502	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:40
S10	13494359	@ad<"20021122" @rlad<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:40
S11	20686	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:41

S12	1147	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:43
S13	13	S11 and S12 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:43
S14	0	S13 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:44
S15	4	S12 and S9	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:44
S16	3	S15 and S10	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/04/08 16:44
S17	1	*6400996*.pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:36
S18	8139	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S19	0	S18 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S20	19170	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43

S21	0	S20 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:43
S22	27559	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:44
S23	0	S22 and S17	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 11:44
S24	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 14:20
S25	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 14:34
S26	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 14:34
S27	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 15:34
S28	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 15:34
S29	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 17:28

S30	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 17:29
S31	0	S30 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/08/08 17:29
S32	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:33
S33	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:35
S34	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:36
S35	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:44
S36	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 16:52
S37	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 18:18
S38	1	"6400996".pn. and (VCR near5 provid\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/10 18:19

S39	1	"20060053219"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S40	1	"20020059584"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S41	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S42	1	"6400996".pn. and time	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S43	1	"6400996".pn. and (time same database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S44	1	"6400996".pn. and (time same database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S45	1	"6400996".pn. and (database same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S46	1	"6400996".pn. and (time same date)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S47	8157	709/238	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S48	13522156	@ad<"20021122" @rld<"20021122"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S49	22825	home near2 network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S50	1257	(record with history) same activit\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S51	16	S49 and S50 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S52	0	S51 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S53	5	S50 and S47	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S54	3	S53 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S55	1	"6400996".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S56	8308	function with (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S57	0	S56 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S58	19509	function same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S59	0	S58 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S60	28004	(function history action) same (id name identification) near5 device\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S61	0	S60 and S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S62	1	"6400996".pn. and program\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S63	1	"6400996".pn. and program\$1 and sequence\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S64	1	"6400996".pn. and program\$1 and sequence\$1 and history	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S65	1	"6400996".pn. and (device near2 id)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S66	1	"6400996".pn. and (id identification type)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S67	0	10/535394 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S68	1	10/535394	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S69	0	S68 and name	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S70	1	"6400996".pn. and display\$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S71	1	"6400996".pn. and (display\$3 same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S72	1	"6400996".pn. and (display\$3 same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S73	1	"6400996".pn. and (interface same sequenc\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S74	1	"6400996".pn. and (interface same history)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30

S75	1	"6400996".pn. and (VCR near5 transmit\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S76	1	"6400996".pn. and (VCR near5 provid \$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:30
S77	17921	709/224,220,221,222,223.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:40
S78	862	S60 and S77	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; IBM_TDB	OR	ON	2008/09/25 13:41

3/ 5/ 2009 5:39:44 PM

C:\Documents and Settings\ktang4\My Documents\EAST\Workspaces\10535394.wsp